		Receiv	ving Rep	ort		
	ate: $\frac{12/6}{MAR}$	20	Batch Dart		12214	6
Packing Slip: Invoice: Receipt: Discrepancies	Yes No No Cr	W SI	elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	ed: Ye	es No es No as No	
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
						1
		- i	4 I			
Production/Ad Date Received/Cos Initial	12/6/20	Initials	of receiver	(if shipment	OK) Level	

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

_
٠
0
_
ಜ
ä
Ы

Purchase Order Receipt Listing

Wednesday, June 20, 2012 1:21:31 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO17164 Receipt Dates from 6/20/2012 to 6/20/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

									0
Book Amt		\$405.27		\$226.11			0.0000	0.0000 \$631.38	0.0000
								7.	
	MRB Reject Qty	0	0	C			Quantity:	o U/M): Quantity:	sipt Value:
	Inspected Qty/ Rejected Qty (PO U/M)	0.0000	0.0000		0.0000	0.0000	Total Received Quantity:	Total Qty to Inspect (PO U/M): Total Reject Quantity:	Total Receipt Value:
	Cost Per Unit/ Recv Value	\$6.75	\$405.27		\$3.77	\$226.11		Total	
	Recv Qty (PO U/M)	000009			0000009				
	Recv Date/ Recv Emp	6/20/2012	DESJ02		6/20/2012	DES102			
	Required Date Required Qty	d. 6/22/2012	0000.09		6/22/2012	0000009			
	PO U/M / Stock U/M	VC-MAR001 Marmon/Keystone Canada Ltd M6061T6T1.750W.0 f	UBE f N		J00W06 f	UBE f			
	Project ID Reference/ Description/ Cert Std	MAR001 Marmon/K M6061T6T1.750W.0 f	6061T6 RDTUBE 1.750 X 0.65W	122146	M6061T6T1.000W06 f	6061T6 RD TUBE 1.00 x .065w	122146		
	Project ID								
	Line Nbr/ Insp Req	dor Nan 2	Ñ		3	No			
	Purchase Order ID/ Curr fype	VendorID/Vendor Name PO17164 2	CAD						

Total Balance Due Quantity:



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153

FAX. 450/641-4357

PAGE..: 1

Order : 16901 Date..: 06/19/2012

PACKING SLIP

DART AEROSPACE LTD 1270 ABERDEEN STREET

SOLD TO:

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIP VI	RLAND #	222212	F.O.B. BOUCHERVILLE		SALESPER G. Dulud		UR ORDER NO 164
Ord	lered	Description		0.	Number Pieces	Quantity Shipped	Back Ordered
		Fax all papers to	Linda Lacelle 613-63	32-1053 rev:	1/11 GD		i,
	60 /FT	ALUMINUM SMLS TUB ATS 1.750 .06 Tariff Number: 7 Cust. part#.: N	55 D6061			ķes	
	50 /FT	ALUMINUM SMLS TUB ATS 1.000 .06 Tariff Number: 7	E D6061 608.20.00.90	Total	<u>5</u>	60/FT 60/FT	
		Cust. part#.: M	6061T6T1.000W065 HT#F HT#F	00011818 00013691 Total	1 4 5	12/FT 48/FT 60/FT	L
				÷		1	
				:		lesso	bo
				; ;			
		4		*			
				0			

No.	of	Bdls/	Pieces
-----	----	-------	--------

Total Weight....:

Customers.:





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUMBI	ER:	CUSTOMER F	PART NUMBER:	PRODUCT DESCRIPTIO	N:					
60-9946-4 AT/1.75.065/734			65/734	Seamless Tube/P	Seamless Tube/Pipe					
KAISER ORDER NUMB	ER: LINE ITEM:		SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:				
205199	004		04/17/2010	F00007748	6061	Τ6)				
WEIGHT SHIPPED:	QUANTITY:		B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:				
612.000 LB	126.000	PC\$	204403			12.000 FT				
SHIP TO:			1	SOLD TO:						
MARMON/KEYS 10700 MARMON BOLINGBROOK	DR			MARMON/KEYST 10700 MARMON BOLINGBROOK,	DR					
				1						

Actual Physical Properties

REFERENCE	Dash#	SAMPLE#	uts (KSI)	YTS (KSI)	elong%	HARDNESS	CONTIACS	BEND
F00007748	0001	1	47.7	44.3	17.0	N/A	N/A	N/A
F00007748	0002	1	47.9	44.9	18.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cıı	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA.	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D68099	.59	.33	.22	.05	.99	.09	.06	.02	.00	.00	.00	.00	.02
D67819	. 64	.36	.23	.05	1.00	.08	.07	.02	.00	.00	.00	.01	.02

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms aconditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Plant Serial: 00006809

Kaiser Order Number: 205199

Line Item: 004

arabka: OK. REF:

::.TINI

W\K OB#6131483

TAAG O ∷.0.¶.⊃

10/15/2010 From: MARMON/KEYSTONE CORPORATION



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA
OD: 1.750"; Wall: 0.065"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700/6EN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

OCT 21 2010

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms acconditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Page 2 of 2

Plant Serial: 00006809

Kaiser Order Number: 205199

Line Item: 004

SLSPRS=

:::TINI

C.P.O.:

C PART::

10/12/2010 From: MARMON/KEYSTONE CORPORATION

:oT





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER. AZ 85226

CUSTOMER PO NUMBI	ER:	CUSTOMER	PART NUMBER:	PRODUCT DESCRIPTION:						
61-14812-2 AT/1065/734				Seamless Tube/Pip	е					
KAISER ORDER NUMB	ER: LINE ITEM:		SHIP DATE:	KAISER LOT NUMBER	ALLOY:	TEMPER:				
207690	002		07/06/2011	F00011818	6061	Т6				
WEIGHT SHIPPED:	QUANTITY:		B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:				
339.000 LB	126.000 P	cs	208176			12.000 FT				
SHIP TO:				SOLD TO:	¥					
MARMON/KEYS 32944 US HIGHN SPRING VALLEY	NAY 6			MARMON/KEYSTO 10700 MARMON D BOLINGBROOK, IL	R					

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONTIACS	BEND
F00011818	0001	1	46.6	42.8	15.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Er .	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69213	. 63	.32	.22	.05	. 96	.08	.07	.02	.00	.00	.00	.01	.02

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms &conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00010934

Kaiser Order Number: 207690

Line Item: 002

Page 1 of 2

ATS 1.000 .065 D6061 TG





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA
OD: 1.000"; Wall: 0.065"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

QC REVIEWED
NOV 0 4 2011

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms &conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00010934

Kaiser Order Number: 207690

Line Item: 002

Page 2 of 2

Page 2 (

flatter Late





CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO. MI 49048

CUSTOMER PO NUMBE	R: CUSTO	MER PART NUMBER:	PRODUCT DESCRIPTION	N:					
61-17139-1	AT/1	.065/734	Seamless Tube/Pi	Seamless Tube/Pipe					
KAISER ORDER NUMBE	R: LINE ITEM:	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:				
607344	001	01/04/2012	F00013691	6061	т6				
WEIGHT SHIPPED:	QUANTITY:	B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:				
644.000 LB	239.000 PCS	602261			12,000 FT				
SHIP TO:			SOLD TO:	· · · · · · · · · · · · · · · · · · ·					
MARMON/KEYST 32944 US HIGHW SPRING VALLEY	AY 6		MARMON/KEYST 10700 MARMON (BOLINGBROOK,)	OR .					

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00013691	0001	1	44.1	40.8	14.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
			0.15						NA	NA	NA		
D69692	.62	.33	.23	.06	.96	.07	.05	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
OD: 1.000"; Wall: 0.065"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

Plant Serial: 00022755

Kaiser Order Number: 607344

Line Item: 001



CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO, MI 49048

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms acconditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

Plant Serial: 00022755 Kaiser Order Number: 607344

Line Item: 001

Page 2 of 2



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO17164

Purchase Order Date 6/08/12 PO Print Date 6/08/12

Page Number 1 of 2

Order From:

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

VC-MAR001

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency

Net 30 CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA



Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
M3	304TS0.750W.065	304 SQ Tube	6/30 110			1	2 1100
	m122051	.75x.75x.065W	6/13/12	1,000.00	TST ground V	\$2.3000	\$2,300.0
			Yes	· f	- 0		
	-		•		. •	0	12-6-19
M60	061T6T1.750W.065	Special Inst: 6061T6 RDTUBE 1.756 X 0.65W	2 LYTH LEZZ	SI 304/316 SEAML E TUBING AS PER SH MILL FINISH 60:90 f		\$6.9900	\$419.40
M606	1T6T1.000 w 065	Special tast: 6061T6 RD TUBE 1.00 A .065w	MATERIAL: 6061 TUBING PER WW-T-700/6 OR A OR QQ-A-200/8 OR Q 6/22/12 Yes	AMS 4080 OR AMS Q-A-225/8	S 4082	\$3.9000	\$234.00

No substitution or deviation without consent. Certificate of Conformity or Material Certification required (YES)

Change Nbr:

3

Change Date: